Basic Research in Cardiology

Archiv für Kreislaufforschung
Official Journal of the German Association of Cardiovascular Research

Initiated by Bruno Kisch – Founded by Eberhard Koch –
Continued by Franz Loogen and Konrad Spang
Editors: R. Jacob, Tübingen; W. Schaper, Bad Nauheim

Contents of Volume 78 (1983)

Editorial Board

H. Antoni, Freiburg i. Brsg.
E. Bassenge, Freiburg i. Brsg.
C. M. Bloor, San Diego
H. J. Bretschneider, Göttingen
D. L. Brutsaert, Antwerpen
N. S. Dhalla, Winnipeg
K. A. P. Edman, Lund
P. England, Bristol
E. Gerlach, München
J. P. Gilmore, Omaha
W. Hasselbach, Heidelberg
P. Y. Hatt, Limeil-Brévannes
P. Heintzen, Kiel
U. Helmchen, Göttingen
W. Hort, Düsseldorf
P. Hugenholtz, Rotterdam
K. J. Kako, Ottawa
H. Kammermeier, Aachen
Th. Kenner, Graz
F. Kölbel, Prague
B. Lewartowski, Warszawa
P. Lichtlen, Hannover
F. Loogen, Düsseldorf
A. Maseri, London
F. Z. Meerson, Moscow
M. Nagano, Tokyo
M. I. M. Noble, Midhurst
S. Onishi, Osaka
St. Pasyk, Krakau
G. Pfleiderer, Stuttgart
M. Reiter, München
G. Rona, Montreal
W. Rutishauser, Genf
T. H. Schiebler, Würzburg
M. Siess, Tübingen
V. N. Smirnov, Moscow
L. Szekeres, Szeged
R. Thauer, Gießen/Bad Nauheim
A. Ziegelhöffer, Bratislava

DR. DIETRICH STEINKOPFF VERLAG · 6100 DARMSTADT

CONTENTS OF VOLUME 78 (1983)

Original Contributions

Arnim, Th. v., F. Crea, S. Chierchia, G. R. Thompson, and A. Maseri (London/U.K.), Effects of vasoactive stimuli on coronary vascular resistance in isolated perfused rabbit hearts: No vasospastic response to ergonovine with or without atherogenic diet 415

Aziz, O. and E. Sommer (Marburg/F.R.G.), The influence of arterial pressure changes on blood volume replacement after acute hemorrhage in the alert rat 571

–, –, (Marburg/F.R.G.), Venous pressures in the alert rat: effects of activity and single injections of catecholamines 583

Bacher, S., O. Kraupp, B. Stanek, and G. Raberger (Vienna/Austria), The effect of repeated intravenous and oral doses of molsidomine (N-carboxy-3-morpholino-sydnonimine-ethylester) on plasma renin activity and plasma catecholamine levels in conscious dogs 193

Baksi, S. N. and M. J. Hughes (Lubbock, Texas/U.S.A.), Modulation by estradiol of rabbit atrial chronotropic response to histamine 505

Banerjee, S. K. and J. Wiener (Detroit, Michigan/U.S.A.), Effects of aging on atrial and ventricular human myosin 685

Bigalke, K. H. (Aachen/Germany), The myocardium and its pathological state during the perinatal period and infancy 39

Boucek, R. J., Jr., R. D. Olson, and R. C. Boerth (Nashville, Tennessee/U.S.A.), Relationship between the in-situ activity of ornithine decarboxylase and contractile function of the rabbit papillary muscle 631

Buss, D. D., D. M. Hyde, and E. P. Steffey (Gainesville, FL, and Davis, CA/U.S.A.), Coronary collaterial development in the rhesus monkey (Macaca mulatta) 510

Capasso, J. M., R. M. Remily, and E. H. Sonnenblick (Bronx, New York/U.S.A.), Age-related differences in excitation-contraction coupling in rat papillary muscle 492

–, –, R. H. Smith, and E. H. Sonnenblick (New York, N.Y./USA), Sex differences in myocardial contractility in the rat 156

Cohen, M. V. (Bronx, New York/U.S.A.), The effect of intracoronary Renografin injection on coronary flow and distribution in dogs following coronary occlusion 364

Drake-Holland, Angela J. and Jane E. Passingham (Midhurst, West Sussex/England), The effect of Oxfenicine on cardiac carbohydrate metabolism in intact dogs 19

Ertl, G., R. W. Alexander, and R. A. Kloner (Boston, MA/U.S.A.), Interactions between coronary occlusion and the renin-angiotensin system in the dog . . 518

Fiedler, V. B. (Wuppertal/Germany), The effect of oral nafazatrom (= BAY g 6575) on canine coronary artery thrombosis and myocardial ischemia 266

Genovese, A., M. Chiariello, W. De Alfieri, S. Latte, and M. Condorelli (Naples/Italy), Production of cardiac lesions with tyramine in intact rats. Studies on serum and myocardial creatinkinase activity changes and ultrastructural aspects 289

Gottwik, M., B. Wüsten, M. Hofmann, S. Puschmann, C. Nienaber, and W. Schaper (Bad Nauheim/Germany), Development of collaterals. Application of external subcritical fixed constrictors in a canine model 183

Grimm, A. F., Hun-Lin Lin, and B. R. Grimm (Chicago, Illinois/U.S.A.), The pattern of sarcomere lengths through the left ventricular free wall: differences between open and closed-chest rats 560

Hütter, J. F., H. M. Piper, and P. G. Spieckermann (Göttingen/Germany), A new method for contious measuring of respiratory quotient in a computer-assisted working heart preparation 1

Kirkeby, O. J., C. Risöe, K. Kirkeby, and I. Hjermann (Oslo/Norway), Serum lipids during treatment with glucose-insulin-potassium in myocardial infarction 601

Koomen, J. M., J. A. M. Schevers, J. Noordhoek, and A. N. E. Zimmerman (Utrecht/The Netherlands), Magnesium and the calcium paradox: The occurrence of "spasmodic contractions" during Ca^{2+}-Mg^{2+}-free perfusion of isolated rat heart 227
Lange, P. E., H. W. Beurich, D. G. W. Onnasch, and P. H. Heintzen (Kiel/Germany), The accuracy of experimentally determined angiographic right ventricular volume 172
Levine, D. Z., K. Sarkar, L. Nash, and K. Rakusan (technical assistance L. Jui and M. Kealey) (Ottawa, Ontario/Canada), The influence of potassium depletion on cardiac growth response to pressure overload 53
Libera, L. D., U. Carraro, and P. Pauletto (Padova/Italy), Light and heavy chains of myosin from atrial and ventricular myocardium of turkey and rat 671
Liedtke, A. J., St. H. Nellis, C. W. Fultz, and M. Dietz with the technical assistance of L. F. Whitesell (Hershey, Pennsylvania/U.S.A.), Application of an end-systolic pressure-segment length relationship for measuring regional contractility 384
Li, Tung and M. Vasalle (Brooklyn, New York/U.S.A.), Sodium-calcium exchange in Purkinje fibers: electrical and mechanical effects 396
Lolov, V. R., and R. V. Lolov (Sofia/Bulgaria), Investigation of Frank's vector-cardiographic lead system on homogeneous rabbit torso model 617
Maruyama, Y., T. Nunokawa, Y. Koiwa, S. Isoyama, K. Ikeda, E. Ino-Oka, and T. Takishima (Sendai/Japan), Mechanical interaction between the ventricles 544
Matsubara, T., K. Itoh, M. Nanki, K. Nishimura, T. Kambe, S. Sugiyama, T. Ozawa, and N. Sakamoto (Nagoya/Japan), Relationship between regional myocardial blood flow and mitochondrial function 706
Meesmann, W., S. von Krosigk, M. Neumann, C. Martin, H. Hirche, Th. Horacek, and R. Sautter (Essen/Germany), Early shunting of 9 μm and 15 μm tracer microspheres from the acutely ischemic canine myocardium . 310
Mehmei, H. C., F. Schwarz, K. Ruffmann, J. Manthey, K. von Olshausen, and W. Kübler (Heidelberg/Germany), End-systolic pressure-volume and end-systolic stress-volume relationships in patients with aortic stenosis and with normal valvular function 338
Mitova, M., B. Bednařik, E. Černý, T. Foukal, J. Krátký, and F. Papoušek (Brno/ČSSR), Influence of physical exertion on early isoproterenol-induced heart injury 131
Moffat, M. P., P. K. Singal, and N. S. Dhalla (Winnipeg, Manitoba/Canada), Differences in sarcolemmal preparations: Cell surface material and membrane sidedness 451
Murthy, K., M. D. Bauman, and J. C. Shipp (Omaha, Nebraska/USA), Effects of epinephrine and perfusion pressure on the peak aortic pressure development and glucose transport in the isolated perfused heart of normal and diabetic rats 281
Ngai, J. H., M. A. Matlib, and R. W. Millard (Cincinnati, Ohio/USA), Contractile performance, mitochondrial function and blood flow distribution in porcine heart with induced coronary collateral circulation 62
Nienaber, Ch., M. Gottwik, B. Winkler, and W. Schaper (Bad Nauheim/Germany), The relationship between the perfusion deficit, infarct size and time after experimental coronary artery occlusion 210
Nolan, P. N., Denise E. Luk, and Janina Staszewska-Barczak (Victoria/Australia), Reflex effects evoked from the parietal pericardium in the dog: Comparison with responses from the visceral pericardium 654
Pfeiffer, K. P. and T. Kenner (Graz/Austria), A statistical approach to the analysis of phenomena of frequency potentiation of isolated myocardial strips 239
Pisarenko, O. I., E. S. Solomatina, I. M. Studneva, V. E. Ivanov, V. I. Kapelko, and V. N. Smirnov (Moscow/USSR), Protective effect of glutamic acid on cardiac function and metabolism during cardioplegia and reperfusion . . . 534
Poggesi, C., C. Reggiani, R. Bottinelli, L. Ricciardi, and R. Minelli (Pavia/Italy), Relaxation in atrial and ventricular myocardium: activation decay and different load sensitivity 256

Rüegg, J. C., M. Meisheri, G. Pfitzer, and C. Zeugner (Heidelberg/F.R.G.), Skinned coronary smooth muscle: calmodulin, calcium antagonists, and cAMP influence contractility 462

Scheel, K. W. and C. E. Jones (Kirksville, Missouri, and Fort Worth, Texas/U.S.A.), Reduced resistances of septal artery collateral channels after cardiac sympathectomy 373

Scheffer, M. G. and P. D. Verdouw (Rotterdam/The Netherlands), Decreased incidence of ventricular fibrillation after an acute coronary artery ligation in exercised pigs 298

Schubothe, M., F. Vetterlein, and G. Schmidt (Göttingen/Germany), Density of plasma-perfused capillaries in the rat heart during carbocromene-induced vasodilation 113

Schütz, W., O. Kraupp, S. Bacher, and G. Raberger (Vienna/Austria), The effect of a long-acting adenosine analog on blood flow through various organs in the dog 679

Seitz, W. S., M. S. Spiel, J. Operschall, O. Pachinger, and M. Klicpera (Los Angeles, California/USA und Vienna/Austria), Echographic method for the estimation of cardiac output from mitral-valve area, heart rate, and diastolic-filling period in conditions of mitral stenosis: correlation with cardiac catheterization 28

Senges, J., U. Mittmann, I. Rizos, J. Brachmann, L. Beck, H.-D. Hammann, W. Braun, and W. Kübler (Heidelberg/Germany), Effect of brief periods of paced ventricular tachycardia on coronary blood flow in dogs before and after graded coronary stenosis 99

–, I. Rizos, U. Mittmann, J. Brachmann, L. Beck, D. Opherk, H.-D. Hammann, E. Mayer, and W. Kübler (Heidelberg/Germany), Effects of acute vagally-mediated bradycardia on systemic hemodynamics and coronary blood flow before and after coronary stenosis 85

Sharma, R. V., R. C. Gupta, M. Ramanadham, R. C. Venema, and R. C. Bhalla (Iowa City, Iowa/U.S.A.), Reduced cAMP levels and glycogen phosphorylase activation in isoproterenol perfused SHR myocardium 695

Sušić, D., Spomenka Mujović, and D. Kentera (Belgrade/Yugoslavia), The effect of chemical damage to the renal medulla on its antihypertensive function 8

Taegtmeyer, H. (Oxford/U.K.), On the inability of ketone bodies to serve as the only energy providing substrate for rat heart at physiological work load . . 435

Takahashi, K. and K. J. Kako (Ottawa, Ontario/Canada), The effect of a calcium channel antagonist, Nisoldipine, on the ischemia-induced change of canine sarcolemmal membrane 326

Thiedemann, K.-U., Ch. Holubarsch, I. Medugorac, and R. Jacob (Tübingen/Germany), Connective tissue content and myocardial stiffness in pressure overload hypertrophy. A combined study of morphologic, morphometric, biochemical, and mechanical parameters 140

Török, B., E. Röth, B. Mezey, S. Szabados, and T. Simor (Pécs/Hungary), Epicardial ECG signals following global myocardial ischaemia 593

Tomoike, H., H. Ootsubo, K. Sakai, and M. Nakamura (Fukuoka/Japan), Tissue edema and loss of tracer microspheres in infarcted myocardium . . . 124

Warltier, D. C., H. F. Hardman, H. L. Brooks, and G. J. Gross (Milwaukee, Wisconsin/U.S.A.), Transmural gradient of coronary blood flow following dihydrophridine calcium antagonists and other vasodilator drugs 644

Weirich, J., St. Hohnloser, and H. Antoni (Freiburg i. Br./F.R.G.), Factors determining the susceptibility of the isolated guinea pig heart to ventricular fibrillation induced by sinusoidal alternating current at frequencies from 1 to 1000 Hz 604

Weitbrecht, M., J. Schaper, K. Zänker, G. Blümel, and P. Mathes (Munich and Bad Nauheim/F.R.G.), Morphology and mitochondrial function of the surviving myocardium following myocardial infarction in the cat 423

Wichmann, J., G. Ertl, G. Rudolph, and H. Kochsiek (Würzburg/F.R.G.), Effect of experimentally induced atrial fibrillation on coronary circulation in dogs 473

Wiegand, V., E. Stroh, A. Henniges, K. Lossnitzer, and H. Kreuzer (Göttingen/F.R.G.), Altered distribution of myosin isoenzymes in the cardiomyopathic Syrian hamster (BIO 8.262) 665
Yarom, R., R. More, S. Raz, Y. Shimoni, O. Sarel, and B. Yagen (Jerusalem/Israel), T-2 toxin effect on isolated perfused rat hearts 623
Zähringer, J., G. Stäb, and N. Pritzl (Munich/Germany), Quantitation of Poly(A)-containing mRNA in rat cardiac biopsies 203
Zimmer, H.-G. (Munich/Germany), Measurement of left ventricular hemodynamic parameters in closed-chest rats under control and various pathophysiologic conditions 77

Editorial

Kölbel, F. and V. Schreiber (Prague/Czechoslovakia), Biochemical regulators in cardiac hypertrophy 351

Letter to the Editors

Das, U. N., Prostacyclin as an endogenous anti-arrhythmic agent 716

Announcements 472
Authors' Index to Vol. 78 (1983) 719
Subject Index to Vol. 78 (1983) 722

Digitized by the Internet Archive
in 2023 with funding from
Kahle/Austin Foundation

https://archive.org/details/basic-research-in-cardiology_1983_78_contents